

Product information Edelstahl-Spray

Description Edelstahl-Spray is characterized by its good adhesion and excellent

elasticity. It dries quickly and is economical.

Very good corrosion resistance to aggressive media, e.g. acid, alkali, bird

droppings and much more.

Field of use Fettling shop, core shop / moulding shop.

Edelstahl-Spray can be used to protect, repair or beautify metal objects such as rims, wheels, castings, forgings, etc. It can also be used for

decoration work. Due to its cooling effect in the metal solidification, it is also

used as cooling-spray.

Application Edelstahl-Spray adheres to metal, wood, paper and most plastics. With

porous, absorbent surfaces, priming with an emulsion paint is

recommended.

The surface must be clean and dry before coating; Oil residue and rust must

be removed.

Technical Data Colour: steel grey/shiny metallic

Pigment: stainless steel

Temperature resistance: permanently up to about 120 °C,

briefly up to about 240 °C

Best processing temperature: approx. 17-25 °C

Drying times: dry after about 10 min.

recoatable after about 6 h

Consumption: approx. 4 m²/can

Packaging Box with 12 spray cans á 500 ml

Storage Protect Edelstahl-Spray from direct sunlight and temperatures above

50 °C. Keep away from open flames and other ignition sources.

Pressurised container!

Shelf life 24 months when properly stored inside in original unopened

container.

Regulations and information

Edelstahl-Spray is classified and labeled according to the CLP regulation

and corresponds to the current EC regulation.

Information about transport regulations, fire-fighting measures, accidental release, ecology and further information can be found in the material safety

data sheet.

All information in this data sheet are based on our current knowledge and experience. A legally binding assurance of certain properties or suitability for a specific purpose cannot be derived. Each user of our products has to verify the usability for its specific purpose in his personal responsibility. Rights must be observed if required.

HN/MT

status 12/23